

Balanced Nutrition Management for Roses				
A. Soil application after pruning -Before first Irrigation				
Time	Product	Qty in kg per acre	Remarks	
Basal Application	Farm Yard Mannure	6000	Apply as basl application	
	Muirate of Potash	25	Mix all together apply to the root zone	
	Diammonium Phospahte	100		
II. Fertigation				
Time (Days After Planting)	Product	Kg/ac/ 3days once	No. of times	Quantity/period (kg)
7th day	Expert Total	5	1	5
08-20	Swift Plus (N P K 19-19-19)	3.5	4	14
	Mag -Sul	2.5		10
	S-Zinc	0.125		0.5
	21-30	Honor (Mono Ammonium Phosphate - 12-61-00)	3.5	4
Ammonium Sulphate		6	24	
Microsure		0.125	0.5	
31		CaTs (Calcium Thiosulphate)	5	1
	S-Bor	0.1	0.1	
32-42	Ultra Plus( N P K S- 15-08-35-4.5)	5	4	20
45th day	KTS	5	1	5
III.Foliar Application				
Sl. No.	Product	Time	Dose gm/ml/lit of water	Remarks
1	Swift Plus (N P K 19-19-19)	15 Days after planting	3	Uniform and study Growth
2	Indikelp		2	
3	Smart trace Advance	30 Days after planting	2.5	
4	Honor (Mono Ammonium Phosphate - 12-61-00)		3	Productive Bud Establishment
5	Raise (Potassium Nitrate - 13-00-45)	40 days after Planting	3	Improves Flower Keeping qulaity, colour & size
6	S mart trace		2	

1. Plz give CaTS, KTS & Magsul separately
2. Srusti CN B give separately
3. Magsul Should not mix with CN and any Phosphatic grades